




VELA Salsa 130



Pos	Pcs	Beskrivelse	Description	Beschreibung	Stock no
1.1	2	Sekskant tap for bremsestang	Hexagon tap brake stick	6-kant Zapfen für Bremsstangen	923451
1.2	2	Rubber plug Ø14x7,5 mm	Rubber plug Ø14x7,5 mm	Gummistopfen Ø14x7,5 mm	923366
1.3	1	Rørben Ø15	Plug Ø15 mm	Abdeckstopfen Ø15 mm	921694
1.4	1	Fod H3 sort metallic	Frame H3 black metallic	Untergestell H3 Schwarz metallic	033179946
1.5	1	Forlænger stykke monteret	Extension piece mounted	Verlängerungsstück montiert	926762
1.6	1	Bremseaksel Flex m/6-kt black metallic	Brake Shaft Uni Flex black metallic	Bremswelle Uni Flex black metallic	925727
1.7	4	Skive, M6 Sort	Washer, M6 Black	Scheibe, M6 Schwarz	8802806
1.8	1	Skrue M10x30	Screw M10x30	Schrauben M10x30	8001210030
1.9	2	Skrue M6x16	Screw M6x16	Schrauben M6x16	8003906016
1.10	2	Skrue med indv. 6-kt RH SFZ M6x10 m/lim	Hexagon Socket Button Head Screw w/glue	Innen 6-kt Rundkopfschraube M/Kleber	8003906010
1.11	1	Vingemøtrik M6 x 11	Wing nut M6 x 11	Flügelmutter M6 x 11	927924
1.12	1	Skrue M8 x 10	Screw M8 x 10	Schraube - M8 x 10	8001208010
1.13	1	Plan Skive DIN 125A, 8 mm Galvaniseret	Washer, Ø8 mm, DIN125A	Scheibe, Ø8 mm, DIN125A	8802208
1.14	2	Forhjul T50	Front castor T50	vordere Lenkrolle T50	929215
1.15	2	Hjul m/Soft-lock B:32 mm, ø100 mm, sort	Castor w/Soft-lock W:32 mm, ø100 mm, black	Rolle m/Soft-Lock b:32 mm ø100 mm Schwarz	015811
2	1	Foring for Ø50 konus/yderrør koksgrå	Conical Busching Ø50 grey	Buchse konisch Ø50 Grau	924928
3	1	KGS gasfjeder 200 mm 300 N	KGS Column 200 mm 300 N	Gasfeder 200 mm 300 N	093030210
4	1	Bæreplade 41.2 mont. m/ betj.greb (Midi u/ ryg) V	Seat support fitted w/handles	Trageplatte m/auslöserhebeln	18411149999930
5	1	Sæde Midi 40x35 cm, Bore 4.2	Seat Midi 40x35 cm, Bore 4.2	Sitz Midi 40x35 cm, Bore 4.2	06190720693
6	4	Afstandskive Ø11xØ20x8	Distance disc Ø11xØ20x8	Distanzscheibe Ø11xØ20x8	924886
7	4	Skrue M6x25	Screw M6x25	Schraube M6x25	8001206025
8	4	Stor skive DIN 9021, 6 mm Galvaniseret	Washer, Ø6 mm, DIN 9021-6	Scheibe 6 mm DIN9021-6	8806206